




U.S. Patent







U.S. Patent





FIG. 14


Bit string	Initial value							
0h	0001h							
1	5500 0002 2A00							
2								
3								
4	0004							
5	5400							
6	8000							
7	2800							
8	0010							
9	5000							
Α	0020							
В	2001							
С	0040							
D	4002							
E	0800							
F	0005							

Apr. 27, 1999


FIG. 15


Rewrite repetition times 15	0031h	2000	0032	1600	0034	2800	0038	1300	0013	2A00	0023	2007	0043	400E	0083	00A2
1		1								ست فسط عصف عبيب جديد						
Rewrite repetition times 2	0003h	2400	0005	1200	9000	2300	2000	1100	0030	2500	0020	3001	0900	6002	00700	0052
petition Rewrite repetition Rewrite repetition times 2	0090h	3000	0000	1E00	0000	3800	00F0	1000	6000	3A00	000A	1003	0000	2006	000F	00A3
Initial Rewrite repetition times 0	0001h	5500	0005	2A00	0004	5400	8000	2800	0010	5000	0020	2001	0040	4002	0800	0005
Bit. Initial	1	-	2	3 2	4		9	2	α	σ	S A	. B	٥		ا اد	i L














U.S. Patent





FIG. 22 PRIOR ART



## FIG.23 PRIOR ART

